


Z H - 3 3 1 6

PANEL SAW





We Simplify and Optimize
your Manufacturing



ZH-3316

COMPUTER ANGULAR SAW

FEATURE

- CUTS PANEL LENGTHWISE AND CROSSWISE AUTOMATICALLY, FOR MASS AMOUNT PANEL CUTTING WORK.
- REAR FEEDING DEVICE ADOPTS HEAVY HYDRAULIC LIFTING TABLE WITH STABLE STRUCTURE.
- LINEAR GUIDE INTERNAL STRUCTURE
- 15KW MOTOR FOR MAX CUTTING THICKNESS UP TO 120MM, (18KW OPTIONAL).
- WITH OPTIMIZATION SOFTWARE AND SIDE ALIGNER DEVICE.

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

MAIN PARAMETER	HORIZONTAL CUTTING	VERTICAL CUTTING
Max. cutting width	3200mm	1200mm
Max. cutting height	120mm	120mm
Max. saw blade height	125mm	125mm
Main saw motor power	15kw	15kw
Scoring saw motor power	2.2kw	2.2kw
Main saw blade diameter	φ450mm	φ450mm
Scoring saw blade diameter	φ200mm	φ200mm
Pusher system drive motor	2.5kw	2.5kw
Pusher system push speed	5-100m/min	5-100m/min
Pusher system pull speed	5-100m/min	5-100m/min
High pressure blower motor	5HP/2.2kw	5HP/2.2kw
Side aligner motor	90w	90w
Working air pressure	0.8Mpa	0.8Mpa
Saw carriage drive motor	3.0kw	3.0kw
Forward speed	0-120m/min	0-120m/min
Return speed	120m/min	120m/min
Grippers	4 groups	4 groups
Machine dimension	8000×7000×1910mm	7500×5100×1910mm
Weight	8600kg	7600kg

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.