


B Y 2 1 4 * 8 / 1 2 3 & 5 H I R C HOT PRESS







BY214*8/12 (3)



BY214*8/12 (5)

BY214*8/12 (3) & (5)H

HYDRAULIC HOT PRESS MACHINE FOR WOOD PANEL

FEATURES

- DESIGNED FOR HOT PRESSING, STICKERS VENEER, VENEER FURNITURE PANELS, DOOR PANELS, HDF, CHIPBOARD ETC.
- THEY ARE USED IN INDUSTRIES WORKING WITH BOARD MATERIALS, FURNITURE PRODUCTION OF ANY CAPACITY.
- REAMED STEEL PLATE WITH HIGH QUALITY.
- EQUIPPED WITH THE HIGH AND LOW PRESSURE GAUGE CONTROLLER.
- TEMPERATURE CONTROL IS CARRIED OUT PRESSING THERMOSTAT.
- THE PRESS IS EQUIPPED WITH AN AUTOMATIC TIMER ON THE OUTDOOR TABLE.
- HYDROELECTRIC INCLUDE AND EASY TO INSTALL AND OPERATE.
- BOILER HEATING PLATES BASED ON HEATING CONDUCTION OIL.

MODEL	HOT PRESS (3) HIRC	HOT PRESS (5) HIRC
Nominal total pressure	1200kN	1200kN
Number and size of hot plate	2500/1300//42mm (4)	2500/1300//42mm (6)
Unit surface pressure	3.97KGF/cm2	3.69 KGF/cm2
Number and diameter of cylinder	6 PCS/100mm	6 PCS/100mm
Closing velocity	40mm/s	23mm/s
Heating method and medium	Electric Heating thermal oil	Electric Heating thermal oil
Clamp opening mode	Electric	Electric
Working layer	3 layer	5 layer
Hot plate spacing	100mm	100mm
Rated oil pressure	25Mpa	25Mpa
Cylinder stroke	300mm	500mm
Installed power	hydraulic7kw / Heating36kw	hydraulic4.5kw / Heating54kw
Max. imum operating temperature	300℃	120℃
Overall dimension	3400×1600×2000mm	4000×1700×2400mm
The total weight of the machine	7800kg	10500kg





Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.



We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production Smarter,

Faster and More Cost-efficient with minimum human labor required.