


F Z 4 5 0 D J - Q

EDGE BANDING




We Simplify and Optimize
your Manufacturing



FZ450DJ-Q

AUTOMATIC EDGE BANDING MACHINE (PRE-MILLING + CORNER ROUNDING)



Buffing



Scraping




Corner
trimming



Fine
trimming




Rough
trimming



End
trimming



Hot-quick
melt



Pre-milling

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

MODEL	FZ450DJ
Machine dimension	6800*950*1850mm
Power	21kW
Panel thickness	10-60mm
Panel width	60mm
Feeding speed	15-23m/min
Working pressure	0.6Mpa
Edge thickness	0.4-3mm
Weight	2400kg

COMPONENTS	BRAND
Inverter	Delta
PLC	Delta
Touch screen	Smart Touch screen
Air switch	Siemens
Contactors	Siemens
Relay	Schneider
Travel switch	Honeywell (USA) Siemens (German)
switch button	Siemens
High-speed motor	Rundawords
Pneumatic components	AirTAC

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

Hot-quick melt



Beam gantry with roller pressure system



Pre milling




Pressing Rollers




End Trimming




Rough/ Fine Trimming



Flat scraping



Corner Rounding



Buffing unit



Auto lubrication



Optionals available:

Upgrade to top glue pot from standard bottom glue pot

PUR System for 20KGS deposit / PUR 2kg incorporated

Add 4-Tape magazines for automatically change

Bottom or Side Grooving

All roller return system

All belt return system

We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.