


S X 1 3 2 8 A - 1 2

CNC NESTING





We Simplify and Optimize
your Manufacturing



SX1328A-12

MAIN CONFIGURATION:

- HIGH POWER AUTOMATIC TOOLS CHANGE SPINDLE
- TAIWAN HIGH PRECISION GUIDE RAIL AND SCREW RACK
- SERVO DRIVE SYSTEM AND PLANETARY REDUCER
- IMPORTED COMPONENTS , SUCH AS FRANCE SCHNEIDER ELECTRONICS , STABLE PERFORMANCE

FUNCTION:

- ATC CNC ROUTER IS AN INTELLIGENTLY CUTTING AND MILLING EQUIPMENT. DESIGNED TO MEET DIVERSE COMPLICATED PROCESSING REQUIREMENTS, HIGHLY VERSATILE WITH ROUTING, DRILLING, CUTTING, SAWING, SLOTTING AND OTHER FUNCTIONS.
- THE SPINDLES CAN WORK ALTERNATELY AND SHIFT RAPIDLY TO SAVE THE TIME OF CHANGING CUTTER AND RESETTING THE PROGRAM
- WELDED STRUCTURE BY THICK PROFILED STEEL, STABILIZED UNDER HIGH TEMPERATURE, ENSURES MINIMUM DISTORTION, EXCELLENT RIGIDITY AND POWERFUL STRENGTH
- SUPERIOR COMPONENTS: HIGH VERSION LNC SYSTEM IS EASY TO LEARN.
(SYNTEC SYSTEM OPTIONAL)
- APPLICABLE INDUSTRIES: PANEL FURNITURE, WARDROBE CABINETS, OFFICE FURNITURE, CUSTOM FURNITURE, ETC

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

Model	Traveling size	Working size	Table size
SX1328A-12	1360*2860*330mm	1300*2800*200mm	1300*2800mm
SX1530A-12	1560*3060*330mm	1500*3000*200mm	1500*3000mm
SX2138A-12	2160*3860*330mm	2100*3800*200mm	2100*3800mm

MODEL	SX2138AP-12
Max. Traveling speed	60m/min
Max. Working speed	15m/min
Spindle power	9.0kw
Spindle speed	24000r/min
Driving system	INVT
Position way	High precision automatic positioning cylinders
Table structure	Vacuum adsorption table
Drilling unit	5 + 4 V
Weight	2300kg
Control system	Syntec
Drive type	X/Y rack, Z ball screw
Vacuum Pump	11KW
Light barrier	Two sides light barrier safety protection
Air conditioner	Air conditioner for electrical cabinet
Pop up pins	5 pieces of pop up pins
Voltage	3P 380V 50HZ

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

Components:

Spindle



Controller Syntec



INVT Servo motor



Linear Guide and Helical rack




INVT Drives



Positioning pop up pins



Drilling Unit



Tool Magazine



Vacuum pump 11 KW



We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.