


M J 6 1 2 3 2 T D

PANEL SAW





We Simplify and Optimize
your Manufacturing



MJ61232TD

PRECISION PANEL SAW

FEATURE

- RIP FENCE WITH MANUAL FINE ADJUSTMENT MAKES FOR GREAT ACCURACY.
- THE HARD CHROME-PLATED ROUND BAR SYSTEM ENSURES THE FENCE MOVES SMOOTHLY.
- CAST IRON UNIT ENSURES PRECISION CUTTING.
- SCORING UNIT WITH QUICK ADJUSTMENT FROM THE FRONT OF THE MACHINE.

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

MAIN	PARAMETER
Dimension of sliding table	3200×375mm
Gross cut capacity	3200mm
Width of cut between saw blade and rip fence	1250mm
Main saw blade diameter	300mm (350mm)
Max. cutting thickness	75mm (100mm)
Main saw speed	4500rpm
Main spindle diameter	30mm
Weight	900kg
Tilting saw blade	0-45°
Main motor power	5.5kw
Scoring saw blade diameter	120mm
Scoring saw speed	7000-8000rpm
Scoring spindle diameter	20mm
Scoring motor power	1.1kw
Overall dimension	3350×3350×900mm

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.