


M J 6 1 2 3 2 T D

PANEL SAW





We Simplify and Optimize
your Manufacturing



MJ6132TAZ

PRECISION PANEL SAW

FEATURE

- LINEAR GUIDE RAIL INTERNAL STRUCTURE FOR MORE PRECISE CUTTING.
- ELECTRICAL UP/DOWN FOR MAIN SAW
- TILTING 0-45° FOR MAIN SAW BLADE (OPTIONAL AVAILABLE)
- CAST IRON TABLE DISASSEMBLE, EASY FOR MAINTAINCE.
- OPTIONAL HIGH PRECISION CROSSCUT DIMENSION READER.

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

MODEL	MJ6132TAZ
Dimension of sliding table	3200×410mm
Main motor power	5.5kw
Gross cut capacity	3200mm
Tilting saw blade	0-45° (digital readout)
Scoring saw blade diameter	300mm /250-400mm)
Width of cut between saw blade and rip fence	1250mm
Scoring saw speed	7000-8000rpm
Weight	950kg
Main saw blade diameter	300mm(350-400mm)
Scoring saw diameter	20mm
Max. cutting thickness (300/400mm)	75/125mm
Scoring motor power	1.1kw
Main saw speed	4500/6000rpm
Main spindle diameter	30mm
Overall dimension	3350×3350×900mm

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

Components:

Iron Dust Cover




Micro adjustment, stable and precision



5.5kw main motor + 1.1kw scoring motor



Aluminum extruded fence with large stopper



Electric control for main saw up/down and tilting 0-45°



Tilting digital readout



Manual pressure included



We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.