


S X A - 4







FOUR SPINDLES CNC ROUTER

- 4 SPINDLES, WITH FUNCTION CUTTING, DRILLING, ENGRAVING, MILLING, PROCESSING AT ONE OPERATION.
- SERVO MOTOR, HIGH PRECISION RACK, TAIWAN GUIDE RAIL, ENSURE MACHINE RUNNING ACCURACY.
- HEAVY-DUTY ANNEALING FRAME, HIGH PRECISION, GOOD STABILITY
- MACHINE CAN BE CUSTOMIZED

Model	Traveling size	Working size	Table size
SX1325A-4	1360*2860*330mm	1300*2800*200mm	1300*2800mm
SX1530A-4	1560*3060*330mm	1500*3000*200mm	1500*3000mm
SX2138A-4	2160*3860*330mm	2100*3800*200mm	2100*3800mm

MODEL	SX A-4	
Resolutions	±0.05mm	
Spindle motor power	6.0kw×2+4.5kw×2	
Drive system	Servo motor	
Spindle speed	18000r/min	
Max. Traveling speed	60m/min	
Max. Working speed	15m/min	
Positioning accuracy	±0.03mm	
Run command	G code	
Weight	2300kg	
Control system	Syntec	
Drive type	X/Y rack, Z ball screw	
Pump	2 sets 4KW	
Light barrier	Two sides light barrier safety protection	
Air conditioner	Air conditioner for electrical cabinet	
Pop up pins	5 pieces of pop up pins	
Voltage	3P 380V 50HZ	

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

Components:

Spindle



INVT Servo motor



INVT Drives



Controller system



Linear Guide and Helical rack





Positioning pop up pins



Vacuum pump 11KW





We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production Smarter,

Faster and More Cost-efficient with minimum human labor required.