


F Z 4 5 0 D J

EDGE BANDING



We Simplify and Optimize
your Manufacturing



FZ450DJ

AUTOMATIC EDGE BANDING MACHINE (PRE-MILLING + CORNER ROUNDING)



Buffing



Scraping




Corner
trimming



Fine
trimming



Rough
trimming



End
trimming



Gluing



Pre-milling

WOTSO Group
Carretera de Vigo,74
32001 Ourense - Espanha

www.wotso.eu
geral@wotso.eu

| MODEL | FZ450DJ |
|-------------------|-----------------|
| Machine dimension | 6800*950*1850mm |
| Power | 21kW |
| Panel thickness | 10-60mm |
| Panel width | 60mm |
| Feeding speed | 15-23m/min |
| Working pressure | 0.6Mpa |
| Edge thickness | 0.4-3mm |
| Weight | 2400kg |

| COMPONENTS | BRAND |
|----------------------|-----------------------------------|
| Inverter | Delta |
| PLC | Delta |
| Touch screen | MSG5 |
| Air switch | Siemens |
| Contactora | Siemens / Honeywell(USA) |
| Intermediate relay | Schneider |
| Travel switch | Honeywell(USA) Schneider (German) |
| Switch button | Siemens |
| High-speed motor | Rundawords |
| Pneumatic components | AirTAC |

Warranty

WOTSO offers a 12-month warranty for service issues that are not caused by operator errors. Service and support are available throughout the lifetime of a machine at fair and reasonable costs after the warranty term. All parts within the warranty are provided by the seller.

Gluing



Beam gantry with roller pressure system



Pre milling




Pressing Rollers



End Trimming



Rough/ Fine Trimming



Flat scraping



Corner Rounding



Buffing unit



Auto lubrication



Optionals available:

Upgrade to top glue pot from standard bottom glue pot

Bottom or Side Grooving

PUR System for 20KGS deposit / PUR 2kg incorporated

Add 4-Tape magazines for automatically change

All belt return system

All roller return system

We Simplify and Optimize Your Manufacturing

We Strive to Make Your Production **Smarter**,
Faster and More **Cost-efficient** with minimum human labor required.